

## DisplayPort



**Elivi DisplayPort 1.4 8K@60 5 m**

Black | v 1.4 | 8K@60Hz | HDR

Product number: ELV-DP14-MM-050

### Product Description

The Elivi DisplayPort 1.4 cable offers high-speed data transfer and exceptional video and audio quality for use with modern monitors, computers, and other devices that support DisplayPort 1.4. This cable is designed to handle resolutions up to 8K at 60Hz, making it perfect for professional video editing, gaming, or other applications that require extreme resolution and high frame rates.

### Main Specifications

|                     |                |
|---------------------|----------------|
| Brand               | Elivi          |
| Color               | Black          |
| Length (m)          | 5              |
| Connector type 1    | Displayport M  |
| Connector type 2    | Displayport M  |
| DisplayPort version | 1.4            |
| Max Resolution      | 7680x4320@60hz |



## Extended Specifications

|                     |                 |
|---------------------|-----------------|
| Jacket material     | Black PVC       |
| Anti-kink sleeve    | Moulded PVC     |
| Outer Cape diameter | 7.3             |
| EAN                 | 7072262021546   |
| Certifications      | CE, REACH, RoHS |

## Dimensional Sketches

| Rev/No  | Revision note  | Date                       | Signature  | Checked            |            |              |       |                        |         |                                 |                        |              |               |   |      |     |                        |  |                        |                        |           |      |                        |      |                |                            |   |     |             |   |   |     |         |  |   |    |     |          |             |           |
|---|--|----------------------------|------------|--------------------|------------|--------------|-------|------------------------|---------|---------------------------------|------------------------|--------------|---------------|---|------|-----|------------------------|--|------------------------|------------------------|-----------|------|------------------------|------|----------------|----------------------------|---|-----|-------------|---|---|-----|---------|--|---|----|-----|----------|-------------|-----------|
|   |  |                            |            |                    |            |              |       |                        |         |                                 |                        |              |               |   |      |     |                        |  |                        |                        |           |      |                        |      |                |                            |   |     |             |   |   |     |         |  |   |    |     |          |             |           |
| <p><b>NOTES:</b></p> <ol style="list-style-type: none"> <li>1. OPEN/SHORT/INTERMITTENCE: 100%</li> <li>2. INSULATION RESISTANCE: 300V 0.01S 10MΩ Min.</li> <li>3. CONDUCTIVE RESISTANCE: 3Ω Max.</li> <li>4. HI-POT: 150V AC 0.01S 1mA</li> <li>5. RESOLUTION TEST: 8K*4K@60Hz OR 4K*2K@120Hz</li> <li>6. RoHS &amp; REACH COMPLIANT</li> </ol>   |  |                            |            |                    |            |              |       |                        |         |                                 |                        |              |               |   |      |     |                        |  |                        |                        |           |      |                        |      |                |                            |   |     |             |   |   |     |         |  |   |    |     |          |             |           |
| <table border="1" style="width: 100%; border-collapse: collapse;"> <thead> <tr> <th>P/N</th> <th>L/mm</th> <th>T/mm</th> </tr> </thead> <tbody> <tr> <td>134063 ELV-DP14-MM-005</td> <td>500</td> <td>30</td> </tr> <tr> <td>134064 ELV-DP14-MM-010</td> <td>1000</td> <td>30</td> </tr> <tr> <td>134065 ELV-DP14-MM-015</td> <td>1500</td> <td>40</td> </tr> <tr> <td>134066 ELV-DP14-MM-020</td> <td>2000</td> <td>40</td> </tr> <tr> <td>134067 ELV-DP14-MM-030</td> <td>3000</td> <td>60</td> </tr> <tr> <td>134068 ELV-DP14-MM-050</td> <td>5000</td> <td>70</td> </tr> </tbody> </table>  |  |                            |            |                    | P/N        | L/mm         | T/mm  | 134063 ELV-DP14-MM-005 | 500     | 30                              | 134064 ELV-DP14-MM-010 | 1000         | 30            | 134065 ELV-DP14-MM-015  | 1500 | 40  | 134066 ELV-DP14-MM-020 | 2000   | 40                     | 134067 ELV-DP14-MM-030 | 3000      | 60   | 134068 ELV-DP14-MM-050 | 5000 | 70             |                            |   |     |             |   |   |     |         |  |   |    |     |          |             |           |
| P/N   | L/mm   | T/mm                       |            |                    |            |              |       |                        |         |                                 |                        |              |               |   |      |     |                        |  |                        |                        |           |      |                        |      |                |                            |   |     |             |   |   |     |         |  |   |    |     |          |             |           |
| 134063 ELV-DP14-MM-005  | 500  | 30                         |            |                    |            |              |       |                        |         |                                 |                        |              |               |   |      |     |                        |  |                        |                        |           |      |                        |      |                |                            |   |     |             |   |   |     |         |  |   |    |     |          |             |           |
| 134064 ELV-DP14-MM-010  | 1000   | 30                         |            |                    |            |              |       |                        |         |                                 |                        |              |               |   |      |     |                        |  |                        |                        |           |      |                        |      |                |                            |   |     |             |   |   |     |         |  |   |    |     |          |             |           |
| 134065 ELV-DP14-MM-015  | 1500   | 40                         |            |                    |            |              |       |                        |         |                                 |                        |              |               |   |      |     |                        |  |                        |                        |           |      |                        |      |                |                            |   |     |             |   |   |     |         |  |   |    |     |          |             |           |
| 134066 ELV-DP14-MM-020  | 2000   | 40                         |            |                    |            |              |       |                        |         |                                 |                        |              |               |   |      |     |                        |  |                        |                        |           |      |                        |      |                |                            |   |     |             |   |   |     |         |  |   |    |     |          |             |           |
| 134067 ELV-DP14-MM-030  | 3000   | 60                         |            |                    |            |              |       |                        |         |                                 |                        |              |               |   |      |     |                        |  |                        |                        |           |      |                        |      |                |                            |   |     |             |   |   |     |         |  |   |    |     |          |             |           |
| 134068 ELV-DP14-MM-050  | 5000   | 70                         |            |                    |            |              |       |                        |         |                                 |                        |              |               |   |      |     |                        |  |                        |                        |           |      |                        |      |                |                            |   |     |             |   |   |     |         |  |   |    |     |          |             |           |
| <p><b>PIN OUT</b></p>   |  |                            |            |                    |            |              |       |                        |         |                                 |                        |              |               |   |      |     |                        |  |                        |                        |           |      |                        |      |                |                            |   |     |             |   |   |     |         |  |   |    |     |          |             |           |
| <table border="1" style="width: 100%; border-collapse: collapse;"> <tbody> <tr> <td>① DUST CAP</td> <td>DP MALE L0PE</td> <td>2</td> <td>PCS</td> </tr> <tr> <td>② LABEL</td> <td>LABEL L*W=80*15 WHIT ELIVI LOGO</td> <td>1</td> <td>PCS</td> </tr> <tr> <td>③ COPPER FOIL</td> <td>DOUBLE SIDED CONDUCTIVE FOIL</td> <td>2</td> <td>PCS</td> </tr> <tr> <td>④ MOLDED</td> <td>45P BLACK PVC</td> <td></td> <td>G</td> </tr> <tr> <td>⑤ MOLDED</td> <td>L0PE</td> <td></td> <td>G</td> </tr> <tr> <td>⑥ PLASTIC HOOD</td> <td>DP MALE BLACK PLASTIC HOOD</td> <td>2</td> <td>SET</td> </tr> <tr> <td>⑦ CONNECTOR</td> <td>DP MALE, GOLD PLATED PIN, BLACK INSULATION, GOLD PLATED SHELL+INPLATE</td> <td>2</td> <td>PCS</td> </tr> <tr> <td>⑧ CABLE</td> <td>[ (1/0.32BC) *IP+D(1/0.254BC) *FAM]*5*(1/0.254BC) *4C*AL-FOIL+D(1/0.254BC) *B(16*5/0.12AL-MG) BLACK PVC JACKET 00:7.30±0.2MM<br/>MARKING: DisplayPort Cable E***** 5L AWM STYLE 20276 80°C 30V VW-1</td> <td>L</td> <td>MM</td> </tr> <tr> <td>NO.</td> <td>MATERIAL</td> <td>DESCRIPTION</td> <td>QTY. UNIT</td> </tr> </tbody> </table> |  |                            |            |                    | ① DUST CAP | DP MALE L0PE | 2     | PCS                    | ② LABEL | LABEL L*W=80*15 WHIT ELIVI LOGO | 1                      | PCS          | ③ COPPER FOIL | DOUBLE SIDED CONDUCTIVE FOIL  | 2    | PCS | ④ MOLDED               | 45P BLACK PVC                                    |                        | G                      | ⑤ MOLDED  | L0PE |                        | G    | ⑥ PLASTIC HOOD | DP MALE BLACK PLASTIC HOOD | 2 | SET | ⑦ CONNECTOR | DP MALE, GOLD PLATED PIN, BLACK INSULATION, GOLD PLATED SHELL+INPLATE | 2 | PCS | ⑧ CABLE | [ (1/0.32BC) *IP+D(1/0.254BC) *FAM]*5*(1/0.254BC) *4C*AL-FOIL+D(1/0.254BC) *B(16*5/0.12AL-MG) BLACK PVC JACKET 00:7.30±0.2MM<br>MARKING: DisplayPort Cable E***** 5L AWM STYLE 20276 80°C 30V VW-1 | L | MM | NO. | MATERIAL | DESCRIPTION | QTY. UNIT |
| ① DUST CAP  | DP MALE L0PE   | 2                          | PCS        |                    |            |              |       |                        |         |                                 |                        |              |               |   |      |     |                        |  |                        |                        |           |      |                        |      |                |                            |   |     |             |   |   |     |         |  |   |    |     |          |             |           |
| ② LABEL   | LABEL L*W=80*15 WHIT ELIVI LOGO  | 1                          | PCS        |                    |            |              |       |                        |         |                                 |                        |              |               |   |      |     |                        |  |                        |                        |           |      |                        |      |                |                            |   |     |             |   |   |     |         |  |   |    |     |          |             |           |
| ③ COPPER FOIL   | DOUBLE SIDED CONDUCTIVE FOIL   | 2                          | PCS        |                    |            |              |       |                        |         |                                 |                        |              |               |   |      |     |                        |  |                        |                        |           |      |                        |      |                |                            |   |     |             |   |   |     |         |  |   |    |     |          |             |           |
| ④ MOLDED  | 45P BLACK PVC  |                            | G          |                    |            |              |       |                        |         |                                 |                        |              |               |   |      |     |                        |  |                        |                        |           |      |                        |      |                |                            |   |     |             |   |   |     |         |  |   |    |     |          |             |           |
| ⑤ MOLDED  | L0PE   |                            | G          |                    |            |              |       |                        |         |                                 |                        |              |               |   |      |     |                        |  |                        |                        |           |      |                        |      |                |                            |   |     |             |   |   |     |         |  |   |    |     |          |             |           |
| ⑥ PLASTIC HOOD  | DP MALE BLACK PLASTIC HOOD   | 2                          | SET        |                    |            |              |       |                        |         |                                 |                        |              |               |   |      |     |                        |  |                        |                        |           |      |                        |      |                |                            |   |     |             |   |   |     |         |  |   |    |     |          |             |           |
| ⑦ CONNECTOR   | DP MALE, GOLD PLATED PIN, BLACK INSULATION, GOLD PLATED SHELL+INPLATE  | 2                          | PCS        |                    |            |              |       |                        |         |                                 |                        |              |               |   |      |     |                        |  |                        |                        |           |      |                        |      |                |                            |   |     |             |   |   |     |         |  |   |    |     |          |             |           |
| ⑧ CABLE   | [ (1/0.32BC) *IP+D(1/0.254BC) *FAM]*5*(1/0.254BC) *4C*AL-FOIL+D(1/0.254BC) *B(16*5/0.12AL-MG) BLACK PVC JACKET 00:7.30±0.2MM<br>MARKING: DisplayPort Cable E***** 5L AWM STYLE 20276 80°C 30V VW-1 | L                          | MM         |                    |            |              |       |                        |         |                                 |                        |              |               |   |      |     |                        |  |                        |                        |           |      |                        |      |                |                            |   |     |             |   |   |     |         |  |   |    |     |          |             |           |
| NO.   | MATERIAL   | DESCRIPTION                | QTY. UNIT  |                    |            |              |       |                        |         |                                 |                        |              |               |   |      |     |                        |  |                        |                        |           |      |                        |      |                |                            |   |     |             |   |   |     |         |  |   |    |     |          |             |           |
| <table border="1" style="width: 100%; border-collapse: collapse;"> <thead> <tr> <th>Desigined by</th> <th>Checkde by</th> <th>Approved by - date</th> <th>File name</th> <th>Date</th> <th>Scale</th> </tr> </thead> <tbody> <tr> <td>FLY</td> <td>HELEN</td> <td>2025, 01. 20</td> <td></td> <td>2025, 01. 20</td> <td>FREE</td> </tr> </tbody> </table>   |  | Desigined by               | Checkde by | Approved by - date | File name  | Date         | Scale | FLY                    | HELEN   | 2025, 01. 20                    |                        | 2025, 01. 20 | FREE          | <table border="1" style="width: 100%; border-collapse: collapse;"> <thead> <tr> <th>Utreare/Quantity</th> <th>Title/Name, designation, material, dimension etc</th> <th>Article NO. /Reference</th> </tr> </thead> <tbody> <tr> <td>①</td> <td>DP1.4 M-M</td> <td></td> </tr> </tbody> </table> |      |     | Utreare/Quantity       | Title/Name, designation, material, dimension etc | Article NO. /Reference | ①                      | DP1.4 M-M |      |                        |      |                |                            |   |     |             |   |   |     |         |  |   |    |     |          |             |           |
| Desigined by  | Checkde by   | Approved by - date         | File name  | Date               | Scale      |              |       |                        |         |                                 |                        |              |               |   |      |     |                        |  |                        |                        |           |      |                        |      |                |                            |   |     |             |   |   |     |         |  |   |    |     |          |             |           |
| FLY   | HELEN  | 2025, 01. 20               |            | 2025, 01. 20       | FREE       |              |       |                        |         |                                 |                        |              |               |   |      |     |                        |  |                        |                        |           |      |                        |      |                |                            |   |     |             |   |   |     |         |  |   |    |     |          |             |           |
| Utreare/Quantity  | Title/Name, designation, material, dimension etc   | Article NO. /Reference     |            |                    |            |              |       |                        |         |                                 |                        |              |               |   |      |     |                        |  |                        |                        |           |      |                        |      |                |                            |   |     |             |   |   |     |         |  |   |    |     |          |             |           |
| ①   | DP1.4 M-M  |                            |            |                    |            |              |       |                        |         |                                 |                        |              |               |   |      |     |                        |  |                        |                        |           |      |                        |      |                |                            |   |     |             |   |   |     |         |  |   |    |     |          |             |           |
| <p>ANGLE: </p>  |  |                            |            |                    |            |              |       |                        |         |                                 |                        |              |               |   |      |     |                        |  |                        |                        |           |      |                        |      |                |                            |   |     |             |   |   |     |         |  |   |    |     |          |             |           |
| <p>UNIT: MM</p>   |  | <p>Edition 1 Sheet 1/1</p> |            |                    |            |              |       |                        |         |                                 |                        |              |               |   |      |     |                        |  |                        |                        |           |      |                        |      |                |                            |   |     |             |   |   |     |         |  |   |    |     |          |             |           |



