



PTZ Camera

Stoltzen Argos PTZ2000 USB2.0 3x Zoom

Stoltzen Argos PTZ2000 USB2.0 3x Zoom

Product number: PTZ2000

Product Description

FullHD USB2.0 PTZ camera with 5x zoom
Plug'n'Play USB3.0
1920 × 1080 @ 30
RS232 (Visca) & USB (UVC1.5) control

Main Specifications

Brand	Stoltzen
Color	Silver
Sensor	1/2.8 inch high quality, 5MegaPixel CMOS sensor
Lens	F=1.7~3.0mm (3x) View Angel max: 108°
Type	PTZ
Optical Zoom	3X
PoE	X
Power	DC12V 1A
Accessories	PSU, USB2.0 CABLE
Video format	MJPEG, H.264, H.265, YUY2
Product series	Argos
Max Resolution	1920x1080@29
Control ports	RS232, USB2.1
Video Ports	USB2.1



Inputs	NO
Outputs	USB2.0
Viewing Angle (°)	108

Extended Specifications

Presets	9 via remote 128 via RS232 (Preset Accuracy 0.2°)
Digital zoom	NO
OSD	X
Focus	Auto / Manual
2D/3D Noise Reduction	X
Gamma control	X
Focal Length (F=)	F=1.7~3.0mm
S/N Rate	>50dB
Minimum Lux	0.1lux
Blender opening	Auto/Manual
Electronic shutter	Auto/Manual
Whitebalance	Auto/Manual/Manual 2/Tracking/ One Push/ Indoor/Outdoor/ Sodium/Fluorescent
Black Light Compensation	X
WDR	V
Anti Flicker	50Hz/60Hz/OFF
Image flip	X
Image mirror	X
Camera control	Pan, Tilt, Zoom
Operating Humidity	Less than 80%
Operating Temperature	-10~50 degree
EAN	0
Resolutions HDMI	NO
Resolutions LAN	NO
Resolutions USB3.0	NO
Resolutions USB2.0	1920x1080, 1600x896, 1280x1024, 1280x720, 1280x960, 1024x768, 1024x576, 960x540, 848x480, 800x600, 800x448, 720x576, 704x576, 640x480, 640x360, 480x272, 424x240, 352x288, 320x240, 320x180, 176x144, 160x119
Resolutions SDI	NO
Rotation Angle	Pan: ±170°; Tilt: -30°~+90°,



Rotation Speed	Pan: 0°- 35°/s Tilt: 0°-20°/s
Bitrate	NO
Certifications	CE, RoHS

Dimensional Sketches

