



## **Network Cable Copper**

LinkIT F/UTP Slim Cat.6a Blue 3.5m AWG 28/1 | LSZH | Snagless | 4.7mm

Product number: SFTPC6A-0350M-BL

### **Product** Description

LinkIt Patch Cat.6a cables stand out with their impressive 50-micron gold plating, providing exceptional corrosion protection and optimal signal transmission. Another important feature is support for the PoE++ (Power over Ethernet++) standard, enabling robust power delivery over network cables. This makes the device ideal for power-hungry applications such as cameras, access points, and other devices that require extra power.

The modular plug is equipped with a tangle-free lock that prevents annoying cable tangles and ensures a seamless connection experience. The cable comes with a high-quality clear plug, providing extra strength and protection to the cable ends and ensuring durability and reliability, even in demanding environments.

The cable's performance meets the requirements for Cat.6a (ANSI/TIA-568-C.2 and ISO 11801).

### Main Specifications

Brand	LinkIT
Color	Blue
Length (m)	3,5
Category	Cat.6a Slim
Connector type 1	RJ-45 male (8P8C)
Connector type 2	RJ-45 male (8P8C)
Conductor material	Copper
Cable shielding	F/UTP - foiled shielding/unshielded twisted pairs
Conductor design	Solid

LinkIT Gneisveien 30 2020 Skedsmokorset Norway T +47 22 90 37 00 W <u>www.linkit.eu</u> M linkit@linkit.eu

#### Visit our website:



Imported and distributed by CBK Distribusjon AS

# 

# **Extended** Specifications

AWG wire size	28
Transmission speed	10Gbps
Frequency (Mhz)	500
Cable structure	4 x 2 AWG 28/1 (Solid)
Locking type	Snagless
NVP value	69%
Jacket material	LSZH
Anti-kink sleeve	Assembled
Pin Assignment	1-2;3-6;4-5;7-8
Cable Diameter (mm)	4.7
Halogenfree	V
Oil resistant	X
Fire retardant version	V
Connector contact plating	50u gold plated
Temperature	-20°C to +75°C
EAN	7072662256265
Certifications	CE, RoHS
A construction of the second se	

# Single packaging

GTIN f-pak	7090033548698
Unit	PCE
Quantity	]
Height (cm)	3,7
Width (cm)	16,9
Length(cm)	16,9
Weight (kg)	0,12
Gross Weight (kg)	0,12

LinklT Gneisveien 30 2020 Skedsmokorset Norway T +47 22 90 37 00 W <u>www.linkit.eu</u> M linkit@linkit.eu Visit our website:




Imported and distributed by CBK Distribusjon AS

# 

## **Dimensional** Sketches

#### RoHS COMPLIANT



LinkIT Gneisveien 30 2020 Skedsmokorset Norway T +47 22 90 37 00 W <u>www.linkit.eu</u> M linkit@linkit.eu Visit our website:



Imported and distributed by CBK Distribusjon AS